

PE LCMS Under Table Nitrogen Membrane Unit N2 Generator System UG-PEL

Our Product Introduction

for more products please visit us on nitrogengeneratorsystem.com

Basic Information

- Place of Origin: CHINA
- Brand Name: GASPU
- Certification: CE
- Model Number: UG
- Minimum Order Quantity: 1pcs
- Price: Negotiate
- Packaging Details: Carton
- Delivery Time: 25work days
- Payment Terms: T/T
- Supply Ability: 30pcs/month



Product Specification

- Name: Nitrogen Generator(under Table)
- N2 Capacity: 15l/min@80psig
- Purity: 99.5%
- Size: 750*500*785
- Air Capacity: 80L/min @110psig
- Work Pressure: 4-8barg
- Power: 230V 50Hz 2.2kw
- Weight: 100kg
- Package: Carton Packaging
- Highlight: **PE LCMS nitrogen membrane unit ,
nitrogen membrane unit N2 Generator ,
PE LCMS n2 generator system**

Product Description

Introduction

UG-PEI combines advanced nitrogen production technology with lean processes. While possessing all the functions of the original all-in-one machine, the product has undergone precise design and can be placed under the experimental table in a smaller size, effectively reducing noise and heat emissions.

For this generator, Air capacity is 80L/min.

UG-PEI is developed by GASPU specifically for the gas requirements of Perkin Eimer QSight dual source LC-MS.

The nitrogen generator can provide two channels of gas (1x nitrogen and 1x air), which can be used for the QSight dual source LC-MS of PE. The pressure and flow rate are preset at the factory, which can directly meet the requirements of the system.

Characteristic

- 1.Factory preset pressure and flow rate to meet the requirements of PE QSight dual source system
 - 2.Built in cold dry filtration system to effectively remove moisture and pollutants, ensuring stable gas quality
 - 3.Adopting imported high-efficiency nitrogen separation membrane, nitrogen production is fast and reliable
 - 4.Low noise, low heat emissions, and minimal impact on laboratory environment
- Adopting imported brand high-performance air compressors and ECO energy-saving mode to reduce energy consumption and maximize the service life of air compressors
- 5.Optional IoT module installation



Datasheet

No.	Item	Specification
1	Model	UG-PE
2	Nitrogen	15L/min@80psi
3	Dry air	80L/min@110psi
4	Dry air	N/A
5	Power	220V/50Hz 2.2KW
6	Outlet size	2*1/4"BSPP
7	Nosie	60dB@1m
8	Size	750*500*785mm
9	Weight	100kg
10	Other	Optional IoT module installation



Suzhou Gaopu Ultra pure gas technology Co.,Ltd



+8613912609547



luyycn@163.com



nitrogengeneratorsystem.com

No.161 Zhongfeng Street, Suzhou New District, Suzhou, P.R.China